
VERBAND
DRESSING
VENDAJES
PANSEMENTS
BENDAGGI

AM

nopa[®] instruments





HOPKINS
AM 030/20
20,0 cm/8"



ESMARCH
AM 038/18
18,0 cm/7"



REINER
AM 040/18
18,5 cm/7¹/₃"



WIGMORE
AM 044/19
19,0 cm/7¹/₂"



ENGEL
AM 060/14
14,0 cm/5¹/₂"



GALT
AM 061/00



BERGMANN
AM 062/18
18,0 cm/7"

AA
AB
AC
AD
AE
AF
AK
AL
AM
AO
AP
AR
KA
KB
KC
KD
KU
KY



HENNIG
AM 100/28
28,0 cm/11"



BEESON
AM 102/30
30,0 cm/12"



MOD. USA
AM 120/23
23,0 cm/9"



WOLFF
 18,0 cm / 7" AM 200/18
 24,0 cm / 9½" AM 200/24




STILLE
 20,0 cm / 8" AM 250/20
 23,0 cm / 9" AM 250/23
 26,0 cm / 10½" AM 250/26
 37,0 cm / 14½" AM 250/37

AA
 AB
 AC
 AD
 AE
 AF
 AG
 AH
 AI
 AJ
 AK
 AL
 AM
 AN
 AO
 AP
 AQ
 AR
 AS
 AT
 AU
 AV
 AW
 AX
 AY
 AZ

OSCI nopa[®]



AM 300/00 = 230 V
 (+ AM 308/50 + AM 308/65 + AM 312/23)
 Euro-Flachstecker / EU-plug
 AM 300/01 = 110 V
 (+ AM 308/50 + AM 308/65 + AM 312/23)
 USA-Stecker / USA-plug



Für Hartverband
 For hard plaster
 Para yeso duro
 Pour plâtre dur
 per bendaggi gessati

AM 308/50 = 50 mm Ø
 AM 308/65 = 65 mm Ø




AM 312/23

nopa® BluePower



- AM 301/00 = 230 V
(+ AM 308/50 + AM 308/65 + AM 312/23)
Euro-Flachstecker / EU-plug
- AM 301/01 = 120 V
(+ AM 308/50 + AM 308/65 + AM 312/23)
USA-Stecker / USA-plug




Für Hartverband
For hard plaster
Para yeso duro
Pour plâtre dur
per bendaggi gessati

- AM 308/50 = 50 mm Ø
- AM 308/65 = 65 mm Ø



AM 312/23

AA
AB
AC
AD
AE
AF
AK
AL
AM
AO
AP
AR
KA
KB
KC
KD
KU
KY




Für Hartverband
 For hard plaster
 Para yeso duro
 Pour plâtre dur
 per bendaggi gessati

AM 308/45 = Ø 45 mm
 AM 308/50 = Ø 50 mm
 AM 308/65 = Ø 65 mm



AM 308/70



AM 308/71 = Ø 65 mm



AM 308/72 = 8 mm



AM 308/73 = 20 mm



AM 308/80

vacu nopa[®] (Absaugung)
(vacuum cleaner)



AM 350/00 = 230 V
AM 350/01 = 120 V

AA
AB
AC
AD
AE
AF
AK
AL
AM
AO
AP
AR
KA
KB
KC
KD
KU
KY

